Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Eloralintide - 10mg

10X TESTED

PASS

Tested for: PSPeptides.com
https://pspeptides.com

COA #:	**COA-2026-R6DYU0**	Analysis Date:	**11/20/2026**
Lot Number:	**PSP-11182026ELO10**	Appearance:	**Good**
Accession #:	**ACC-2026-26622**	Sample Matrix:	**Lyophilized**
Labeled Content:	**10mg**	Volume:	**3mL**
		Date Received:	**11/18/2026**

Scan to verify authenticity at ils-lab.com
Access Code: R72F2GBR

Method: **Full QC Panel**

Identity	Peptide Purity	
Eloralintide	**99.73%**	Fentanyl Free



Eloralintide 10mg - PSP-11182026ELO10

Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.73%**	%	**PASS**
Net Peptide Content	Report Only	**10.55**	mg	N/A
Identity (HPLC-RTM)	Eloralintide	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



Eloralintide 10mg - PSP-11182026ELO10: UV Chromatogram

Additional Analyses

Analyte	Specification	Result	Unit	Status
Solubility Analysis Visual Solubility Assessment (USP general notices descriptive terms)	Report Only	**Fully soluble - clear solution** Solvent: Nuclease-Free Water Concentration: 1 mg/mL		Report Only
Closure Integrity Vacuum Leak Test (USP <1207>)	No leakage observed	**No leakage observed**		**PASS**
Product pH Potentiometric pH (USP <791>)	Report Only	**7.83**		Report Only

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1.0 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10.0 ppm	*Not Detected*	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	**0.039 EU/mL**	**PASS**
Acceptance criteria: NMT 0.25 EU/mL.			

Notes & Methodology

1. Date Tested: 11/20/2026. Methods: Full QC Panel.
2. The sample was confirmed to be Eloralintide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic chromogenic method.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Quality System: ILS Laboratories operates an ISO/IEC 17025 quality management system. Peptide testing is performed for Research Use Only.
7. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
11/20/2026

COA #: **COA-2026-R6DYU0**
Access Code: **R72F2GBR**
Verify: portal.ils-lab.com/verify/ZnUdy4S5-x9wO6On
Issued: 11/20/2026